

HS_divider

Gives your blades the cutting edge: HS_divider

The HS_divider sharpener makes manual sharpening of the TREIF slicer blades unbeatably simple. Waiting and down times are a thing of the past.


Easy and safe to operate, HS_divider provides a lasting, sharp cutting edge. Your products will constantly get a clean cut and can be optimally presented, thanks to a sharp slicer blade.



The HS_divider can be mounted on the wall or placed on a specially designed frame to save space.



HS_divider orbital for circular blades: Both HS_divider models have a crank that is manually operated for sharpening.




The sharpening devices are easy and safe to operate. The blade is assembled and disassembled with the help of a protection frame (as an example: HS_divider orbital, photo left).



The devices are equipped with diamond-set sharpening tools.



Even the blades with patented lotus engraving can be sharpened by HS_divider 660.



The HS_divider can also be used for tined blades.



Circular blade technology comes as a standard on DIVIDER orbital+. The circular blades are sharpened with HS_divider orbital.



An attractive product presentation: precisely shingled salami slices.

The special HS_divider for your slicer

The HS_divider is available in two versions, each tailored to the needs of your TREIF Slicer. In both models, sharpening and deburring are performed in one operation.

Technical data: HS_divider 660

Space required - closed

Depth (mm/inch) 450; 17 ⁷/₁₀"

Width (mm/inch) 1,050; 41 ³/₁₀"

Height (mm/inch) 1,030; 40 ¹/₂"

Space required - opened

Depth (mm/inch) 1,190; 46 ⁹/₁₀"

Width (mm/inch) 1,930; 76"

Height (mm/inch) 1,030; 40 ¹/₂"

Blade types sickle blades for TREIF-Slicer

Transport weight (kg/lb) approx. 90; 199

Technical data: HS_divider orbital

Space required - closed

Depth (mm/inch) 398; 15 ³/₅"

Width (mm/inch) 598; 23 ¹/₂"

Height (mm/inch) 670; 26 ²/₅"

Space required - opened

Depth (mm/inch) 759; 30"

Width (mm/inch) 1,182; 46 ¹/₂"

Height (mm/inch) 670; 26 ²/₅"

Blade types circular blades for DIVIDER orbital+

Transport weight (kg/lb) approx. 35; 77



Whether shingled, stacked or shaved: the TREIF Slicer always provides a clean cut - thanks to a sharp blade.

Your benefits at a glance:

- Reliability in production and quality due to permanent availability of sharp blades
- Optimum product presentation due to clean slicing
- Sharpening and deburring in one working step
- Diamond-set sharpening tools
- Ergonomic and compact design (devices can be mounted on the wall or placed on a specially designed frame)
- No energy supply required (neither electrical nor pneumatic)
- Easy and safe to operate
- Two HS_divider models for blades of the different TREIF-Slicers

www.treif.com

HEADQUARTERS:

TREIF Maschinenbau GmbH
Südstraße 4
D-57641 Oberlahr
Tel. +49 2685 944 0
Fax +49 2685 1025
E-Mail: info@treif.com

LOCATIONS:

TREIF S.A.R.L.
22, rue des Tuileries
F-67460 Souffelweyersheim
Tel. +33 3 8818 4018
Fax +33 3 8818 4019
E-Mail: info-france@treif.com

TREIF USA Inc.
50 Waterview Drive, Suite 130
USA-Shelton CT 06484
Tel. +1 203 929 9930
Fax +1 203 929 9949
E-Mail: treifusa@treif.com

TREIF U.K. Ltd.
4 Europa Park
Croft Way Eastways
GB-Witham Essex CM 8 2FN
Tel. +44 1376 504060
Fax +44 1376 504070
E-Mail: info@treif.co.uk

TREIF in Belgium
Villolaan 21
B-9320 Aalst
Tel. +32 53 770813
Fax +32 53 789666
E-Mail: jo.tuybaert@treif.com

TREIF China
TREIF Maschinenbau GmbH
1st floor (West), No. 69, Lane 1985
Chunshen Road, Minhang District
Shanghai, 200237 China
Tel. +86 21 5879 8255
Fax +86 21 5879 8256
E-Mail: treif.china@treif.com