

Atmoz

**NEW
SERIES**

Henkelman's Atmoz series represent a full range of single and double chamber models to optimize every vacuum packaging process. Suitable for food and non-food applications. The most distinguishing feature of this new line of machines is the construction of both the work plate and the lid. In general, the Atmoz series offer more machine for less money.



Atmoz



ATMOZ 90

Standard



Option



PUMP CAPACITY 100 m³/h

MACHINE CYCLE 15-40 sec

CHAMBER DIMENSIONS

660 x 760 x 280 mm

MACHINE DIMENSIONS

1030 x 980 x 1114 mm

SEAL BARS 2 x 660 mm

WEIGHT 345 kg

VOLTAGE 400V-3-50Hz

POWER 1,85-3,6 kW

STANDARD

TIME CONTROL, DOUBLE SEAL/
CUT-OFF SEAL/WIDE SEAL (10 MM)

OPTIONS

SENSOR CONTROL,
LIQUID CONTROL, GAS FLUSH
(INCL PRESSED AIR CONNECTION),
SOFT AIR, 1-2 CUT-OFF SEAL

“Thanks to the construction of both the lid and the work plate, Atmoz has longer seal bars compared to other series. One of the most important sales arguments.”



The machine dimensions listed refer to the usable space in the vacuum chamber (length x width x height).
The chamber dimensions listed refer to the usable space in the vacuum chamber (length x width x height).
The machine dimensions listed refer to length x width x height. Other voltages available. Textual and printing errors reserved.

ATMOZ 2-75

Standard



Option



PUMP CAPACITY 160 m³/h
MACHINE CYCLE 15-40 sec
CHAMBER DIMENSIONS
 880 x 550 x 280 mm
MACHINE DIMENSIONS
 1210 x 1545 x 1105 mm
SEAL BARS 2 x 660 mm
WEIGHT 462 kg
VOLTAGE 400V-3-50Hz
POWER 2,2-4,8 kW

STANDARD

TIME CONTROL, DOUBLE SEAL/
 CUT-OFF SEAL/WIDE SEAL (10 MM)

OPTIONS

SENSOR CONTROL,
 LIQUID CONTROL, GAS FLUSH
 (INCL. PRESSED AIR CONNECTION),
 SOFT AIR, 1-2 CUT-OFF SEAL,
 100 M³/H PUMP



ATMOZ 2-90

Standard



PUMP CAPACITY 300 m³/h
MACHINE CYCLE 15-40 sec
CHAMBER DIMENSIONS
 870 x 880 x 280 mm
MACHINE DIMENSIONS
 1320 x 1965 x 1105 mm
SEAL BARS 2 x 880 mm
WEIGHT 770 kg
VOLTAGE 400V-3-50Hz
POWER 4,0-5,5 kW

STANDARD

TIME CONTROL, DOUBLE SEAL/
 CUT-OFF SEAL/WIDE SEAL
 (10 MM)

OPTIONS

SENSOR CONTROL, LIQUID
 CONTROL, GAS FLUSH
 (INCL. PRESSED AIR CONNECTION),
 SOFT AIR, 1-2 CUT-OFF SEAL,
 160 M³ PUMP



The chamber dimensions listed refer to the usable space in the vacuum chamber (length x width x height). The machine dimensions listed refer to length x width x height. Other voltages available. External and printing errors reserved.